

27. (New) The protein of claim 24 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

28. (New) A composition comprising the protein of claim 24 and an acceptable carrier.

29. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 24 by a cell; and
- (b) recovering said protein.

30. (New) An isolated protein comprising the amino acid sequence of the secreted portion of the polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

31. (New) The isolated protein of claim 30 which comprises the amino acid sequence of the complete polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163, excepting the N-terminal methionine.

32. (New) The isolated protein of claim 30 which comprises the amino acid sequence of the complete polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

33. (New) The protein of claim 30 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

34. (New) A composition comprising the protein of claim 30 and an acceptable carrier.

35. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 30 by a cell; and
- (b) recovering said protein.

36. (New) An isolated first polypeptide at least 90% identical to a second polypeptide consisting of amino acid residues 19 to 79 of SEQ ID NO:56.

Port 1 of

a /

Sub
B1

37. (New) The isolated polypeptide of claim 36, wherein said first polypeptide is at least 95% identical to said second polypeptide.

38. (New) The protein of claim 36 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

39. (New) A composition comprising the protein of claim 36 and an acceptable carrier.

40. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 36 by a cell; and
- (b) recovering said protein.

41. (New) An isolated first polypeptide at least 90% identical to a second polypeptide consisting of the secreted portion of the polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

42. (New) The isolated polypeptide of claim 41, wherein said first polypeptide is at least 95% identical to the said second polypeptide.

43. (New) The protein of claim 41 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

44. (New) A composition comprising the protein of claim 41 and an acceptable carrier.

45. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 41 by a cell; and
- (b) recovering said protein.

46. (New) An isolated first polypeptide at least 90% identical to a second polypeptide consisting of amino acid residues 1 to 79 of SEQ ID NO:56.

Sub
62

a1 cont'd

Sub B2

47. (New) The isolated polypeptide of claim 46, wherein said first polypeptide is at least 95% identical to said second polypeptide.

48. (New) The protein of claim 46 which comprises a heterologous polypeptide sequence.

49. (New) A composition comprising the protein of claim 46 and an acceptable carrier.

50. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 46 by a cell; and
- (b) recovering said protein.

Q1 Cont'd

51. (New) An isolated first polypeptide at least 90% identical to a second polypeptide consisting of the complete polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

52. (New) The isolated polypeptide of claim 51, wherein said first polypeptide is at least 95% identical to said second polypeptide.

53. (New) The protein of claim 51 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

54. (New) A composition comprising the protein of claim 51 and an acceptable carrier.

55. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 51 by a cell; and
- (b) recovering said protein.

56. (New) An isolated protein consisting of at least 30 contiguous amino acid residues of amino acid residues 19 to 79 of SEQ ID NO:56.

57. (New) The isolated protein of claim 56 which consists of at least 50 contiguous amino acid residues of amino acid residues 19 to 79 of SEQ ID NO:56.

58. (New) The protein of claim 56 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

59. (New) A composition comprising the protein of claim 56 and an acceptable carrier.

60. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 56 by a cell; and
- (b) recovering said protein.

61. (New) An isolated protein consisting of at least 30 contiguous amino acid residues of the secreted portion of the polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

62. (New) The isolated protein of claim 61 which consists of at least 50 contiguous amino acid residues of the secreted portion of the polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

63. (New) The protein of claim 61 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

64. (New) A composition comprising the protein of claim 61 and an acceptable carrier.

65. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 61 by a cell; and
- (b) recovering said protein.

66. (New) An isolated protein consisting of at least 30 contiguous amino acid residues of amino acid residues 1 to 79 of SEQ ID NO:56.

cont'd
Sub B3

21

Sub B4

67. (New) The isolated protein of claim 66 which consists of at least 50 contiguous amino acid residues of amino acid residues 1 to 79 of SEQ ID NO:56.

68. (New) The protein of claim 66 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

69. (New) A composition comprising the protein of claim 66 and an acceptable carrier.

70. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 66 by a cell; and
- (b) recovering said protein.

71. (New) An isolated protein consisting of at least 30 contiguous amino acid residues of the complete polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

72. (New) The isolated protein of claim 71 which consists of at least 50 contiguous amino acid residues of the complete polypeptide encoded by the HYACJ27 cDNA contained in ATCC Deposit No. PTA-163.

73. (New) The protein of claim 71 which further comprises a polypeptide sequence heterologous to SEQ ID NO:56.

74. (New) A composition comprising the protein of claim 71 and an acceptable carrier.

75. (New) An isolated protein produced by the method comprising:

- (a) expressing the protein of claim 71 by a cell; and
- (c) recovering said protein.

76. (New) A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11.